

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation			Disposition		
			Completed By		
			Lead hand / Supervisor Approval Verification		
			QC / QA Coordinator Approval		
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Wednesday, August 12, 2015 4:29:00 PM

Page 2

Hand Finishing

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval	
Description Work Order Deviation			Disposition		
			Completed By		
			Lead hand / Supervisor Approval Verification		
			QC / QA Coordinator Approval		
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER :					

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Past Expiry Date ☐	Manufacturing Process ☐				
Misidentified ☐	Past Due ☐	OTHER : _____			

Work Order ID 135448

Wednesday, August 12, 2015 4:29:00 PM

135448

Page 4

Item ID: D5134-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Damper Support Assembly, LH
Start Date: 8/12/15 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 8/12/15 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160		0.00							
160									
Small Fab	Memo	0.00				9	FF		OCT 20 2015
Small Fab	install bushings as per dwg								
170	QC5- Inspect part completeness to step on W/O	0.00							
170									
QC	Memo	0.00				9			DAS 38 9-89 OCT 20 2015
Quality Control									
180	Identify as per dwg & Stock Location: <u>LG054</u>	0.00							
180									
Packaging	Memo	0.00				9			DAS 27 9-89 OCT 20 2015
Packaging	LOCATION : LG054								

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabelled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
☐ OTHER : _____					

Work Order ID 135448***135448***

Page 5

Wednesday, August 12, 2015 4:29:00 PM

Item ID: D5134-041 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Damper Support Assembly, LH
Start Date: 8/12/15 Start Qty: 10.00 ***10*** Cust Item ID:
Required Date: 8/12/15 Req'd Qty: 10.00 ***10*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190	QC21- Final Inspection - Work Order Release	0.00							
100									
QC	Memo	0.00							
Quality Control									

MCS OCT 21 2015

SH 20151021

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date :	Step #:	QTY Effective :		MRB (QS1042) Approval	
Description Work Order Deviation			Disposition		
			Completed By		
			Lead hand / Supervisor Approval Verification		
			QC / QA Coordinator Approval		
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : ☐					

Picklist Print

Wednesday, August 12, 2015 4:28:59 PM

Page 1

Work Order ID: 135448

135448

Parent Item: D5134-041

D5134-041

Parent Item Name: Damper Support Assembly, LH

Start Date: 8/12/15

Required Date: 8/12/15

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP REV:A NEW ISSUE 14-09-09 JLM VERIFIED BY:DD

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M7075T6B3.000x04.00 0		Purchased	No				f	6.8350		4.3			

M7075T6B3.000x04.000

~~7075-T6 BAR 3.000" X 4.000" Grain along 3"~~

M7075T73 B3.00 X 4.00

Location

Loc Qty

Loc Code

MAT006 M133013

6.835

m131225

6.335

m131999

0.5

Each

11.0000

20

4.1^{ft} JFC 2015-10-01

NAS77C6-021

Purchased

No

NAS77C6-021

BUSHING

Location

Loc Qty

Loc Code

ST260

11

M132633

11

~~132633 X 11~~
133157 X 9

9 JF OCT-20-2015

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
OTHER : ☐									

DART AEROSPACE LTD		Work Order: 135448
Description: Damper Support Assembly, LH		Part Number: D5134-041
Inspection Dwg: D5134	Rev: AB JK 2015-10-01	Page 1 of 1

INSPECTION SHEET


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
Ø0.188	+0.005/-0.001	0.190	✓		caliper	JTC-01
Ø0.257	+0.006/-0.001	0.260	✓		"	"
0.893	+/-0.010	0.903	✓		HG	3006
1.932	+/-0.010	1.932	✓		caliper	JTC-01
0.632	+/-0.010	0.636	✓		"	"
0.632	+/-0.010	0.629	✓		"	"
0.730	+/-0.010	0.730	✓		"	"
Ø0.500	+0.000/-0.001	0.500	✓		" + PIN	" + Shop
0.36	+/-0.030	0.3625	✓		caliper	"
0.100	+/-0.010	0.102	✓		"	"
0.728	+/-0.010	0.728	✓		"	"
4.671	+/-0.010	4.671	✓		"	"
R0.63	+/-0.030	0.625	✓		rad G	Shop
R0.25	+/-0.030	0.250	✓		"	"
R0.063	+/-0.010	0.063	✓		"	"
0.746	+/-0.010					
0.177	+/-0.010	0.175	✓		mic	118-120
0.117	+/-0.010	0.120	✓		mic	118-120
0.860	+/-0.010	0.860	✓		caliper	JTC-01
0.208	+/-0.010	0.208	✓		"	"
0.208	+/-0.010	0.208	✓		"	"
1.471	+/-0.010	1.4775	✓		indicator	Shop
3.180 Ref	+/-0.010	3.187	✓		caliper	JTC-01
R0.13	+/-0.030	0.125	✓		rad G	Shop
R0.13	+/-0.030	0.125	✓		rad G	Shop
0.841	+/-0.010	0.833	✓		indicator	Shop

Measured by: JFL	Checked by: J.A.	DAS 08 9-89	QC Inspector:
Date: 2015-10-01	Date: 15/10/08		Date:

Engineering Approval: (If necessary)	Date:
--	--------------

Rev	Date	Change	Revised by	Approved
A	15.04.27	New Issue	KJ	

ITEM	QTY -041	P/N	DESCRIPTION
	X	D5134-041	DAMPER BRACKET ASSY, LH
1	1	D5134-1	DAMPER SUPPORT, LH
2	2	NAS77C6-021	BUSHING



D5134-041 DAMPER SUPPORT ASSY, LH

- NOTES:
- 1) MATERIAL: N/A
 - 2) FINISH: PRIME AND PAINT WHITE PER DART QSI 005 4.2
MASK OFF INNER SURFACE OF BUSHING PRIOR TO APPLICATION OF PRIME/PAINT
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: N/A
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 0.42 lbs
 - 8) NAS77C6-021 BUSHINGS ARE PRESS FIT INTO D5134-1 DAMPER SUPPORT, IN ORIENTATION SHOWN

EXERCISE
 RETURN TO
 ENGINEERING
 UNCONTROLLED COPY
 SUBJECT TO AMENDMENT
 WITHOUT NOTICE
 WORK ORDER
 NO 135448 MLCJ
 1508-14


RELEASED

2015 MAY 12
 A.R. ECNIS-SXD

B	7075-T73 MATERIAL WAS 7075-T6, MINOR DIMENSIONAL CHANGES (SHT 3 & 4)	AP	15.04.24
A	NEW ISSUE	AP	14.09.02
REV.	DESCRIPTION	BY	DATE
DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AP		
CHECKED	CP	DRAWING NO.	REV. B
MFG. APPR.	JLM	D5134	SHEET 1 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS-#	DAMPER SUPPORT ASSY	NTS
DATE	15.04.24	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

APPROVED

ITEM	QTY	P/N	DESCRIPTION
	-042		
	X	D5134-042	DAMPER SUPPORT ASSY, RH
1	1	D5134-2	DAMPER SUPPORT, RH
2	2	NAS77C6-021	BUSHING



D5134-042 DAMPER SUPPORT ASSY, RH

RELEASED

2015 MAY 12

A.P. ECU15-570

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: PRIME AND PAINT WHITE PER DART QSI 005 4.2
MASK OFF INNER SURFACE OF BUSHING PRIOR TO APPLICATION OF PRIME/PAINT
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 0.42 lbs
- 8) NAS77C6-021 BUSHINGS ARE PRESS FIT INTO D5134-2 DAMPER SUPPORT, IN ORIENTATION SHOWN

APPROVED

DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AP		
CHECKED	CP	DRAWING NO.	REV. B
MFG. APPR.	JLM	D5134	SHEET 2 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	DAMPER SUPPORT ASSY	NTS
DATE	15.04.24	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

9 $\varnothing 0.188$ TOOLING HOLE
AS REQUIRED, 2 PL

9 $\varnothing 0.257$ TOOLING HOLE
AS REQUIRED, 4 PL

0.893
REF

0.36
TYP

R0.063
4 PL

DART
D5134-041

GRAIN
DIRECTION

4.671
REF

0.728
2 PL

0.100
2 PL

0.36
4 PL

R0.25
THIS EDGE ONLY

$\varnothing 0.500^{+0.000}_{-0.001}$
THRU

0.632
REF


0.730

0.632


1.932

0.632

0.632
REF



SECTION A-A



RELEASED



2015 MAY 12
A.R. ECMS-570

NOTES:


- 1) MATERIAL: ALUMINUM 7075-T73 (T7351 / T73510 / T73511) BAR
PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 (AMS 4124) OR
AMS-QQ-A-250/12 (AMS 4078), REF DART SPEC M7075173B
- 2) FINISH: CHEMICAL CONVERSION COAT PER QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART LOGO AND P/N "D5134-041" IN AREA SHOWN
USING 0.125 HIGH X 0.010-0.020 DEEP LETTERING PER DART QSI 044 6.3,
IDENTIFY WITH DART B/N PER DART QSI 044 6.1
- 7) WEIGHT: 0.38 lbs
- 8) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D5134-1-REV.B.SLDPRT"
- 9) POSITION TOOLING HOLES AS REQUIRED WHILE MAINTAINING MINIMUM 2D EDGE DISTANCE AND 4D PITCH BETWEEN HOLES

APPROVED


DESIGN	AP	DART AEROSPACE LTD	
DRAWN	AP	HAWKESBURY, ONTARIO, CANADA	
CHECKED	CP	DRAWING NO.	REV. B
MFG. APPR.	JLM	D5134	SHEET 3 OF 4
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	DAMPER SUPPORT ASSY	NTS
DATE	15.04.24	COPYRIGHT © 2014 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD			



SECTION B-B



D5134-2 DAMPER SUPPORT, RH



RELEASED

2015 MAY 12
A.R. ERM 15-570

NOTES:

- 1) MATERIAL: ALUMINUM 7075-T73 (T7351 / T73510 / T73511) BAR PER AMS-QQ-A-200/11 OR AMS-QQ-A-225/9 (AMS 4124) OR AMS-QQ-A-250/12 (AQMS 4078), REF DART SPEC M7075T73B
- 2) FINISH: CHEMICAL CONVERSION COAT PER QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART LOGO AND P/N "D5134-042" IN AREA SHOWN USING 0.125 HIGH X 0.010-0.020 DEEP LETTERING PER DART QSI 044 6.3, IDENTIFY WITH DART B/N PER DART QSI 044 6.1
- 7) WEIGHT: 0.38 lbs
- 8) ALL NON-DIMENSIONED FEATURES DEFINED PER DRAWING FILE "D5134-2-REV8.SLDPRT"
- 9) POSITION TOOLING HOLES AS REQUIRED WHILE MAINTAINING MINIMUM 2D EDGE DISTANCE AND 4D PITCH BETWEEN HOLES

APPROVED	DESIGN	AP	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
	DRAWN	AP		
	CHECKED	CP	DRAWING NO.	REV. B
	MFG. APPR.	JLM	D5134	SHEET 4 OF 4
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DSC	DAMPER SUPPORT ASSY	NTS
DATE		15.04.24	COPYRIGHT © 2014 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	